

# PROMOTIONS

*Valid from July 1st to December 31st, 2026*

# 2026

**PROMOTIONS  
EXTENDED!**

*Valid through  
12/31/2026*



## CERMET GRADES FOR STEEL FINISHING TURNING

Cermet grades with remarkable stable tool life due to incredible fracture resistance

**BUY 30** inserts

AND

**GET 10** corresponding inserts

**FREE**  
of charge!

Promo Code: TG274

\*Offer must be ordered through our Customer Service Team, not available on Webshop.

**Inserts:**

ISO type




**AT9530**

Coated cermet grade with outstanding wear resistance, ideal for high-speed finishing and alloy steel machining.



**GT9530**

Coated cermet grade with premium coating, offering exceptional wear resistance and high-speed finishing performance in steels.



**NS9530**

Versatile cermet grade with excellent fracture and wear resistance, delivering long tool life and superior surface finish from medium to finishing cuts in steels.



## ECONOMICAL DOUBLE-SIDED POSITIVE INSERT

Innovative geometry and seat interface ensures stability and high performance

**BUY 20** inserts

AND

**GET 1** corresponding holder at


**50%**  
additional  
discount!  
Promo Code: TG275

Inserts (Grades: SH725, AH725, AH8015, T9200, GT9530, NS9530, KS05F):

WXGU  
DXGU  
DXMU  
VXGU  
CXMU

Toolholders:

JPD/V/W  
JS\*\*  
JSD\*\*  
JSV\*\*  
JSW\*\*  
A\*\*-SCL\*\*  
A\*\*-SDX\*\*  
A\*\*-SDZ\*\*  
A\*\*-SWL\*\*



## ISO-ECOTURN SMALL SIZE INSERTS, FOR AN ECONOMICAL ADVANTAGE

ISO-EcoTurn inserts match standard insert thickness and chipbreaker geometry, delivering equivalent cutting performance with reliable chip control up to 0.118" depth of cut.

**BUY 30** inserts

AND

**GET 10** corresponding inserts


**FREE**  
*of charge!*

Promo Code: TG276

\*Offer must be ordered through our Customer Service Team, not available on Webshop.

Inserts (Grades: AH120, AH6200, AH8015, AT9530, GT9530, NS9530, T5115, T515, T6200, T9200):

ISO type



## MULTIFUNCTIONAL TOOL FOR IMPROVED PRODUCTIVITY

A single TungBoreMini tool can handle multiple operations such as ID turning after drilling, facing and OD turning without exchanging the tools.

**BUY 10 inserts**

AND

**GET 1** corresponding toolholder at

**50%**  
additional discount!  
Promo Code: TG291

\*Offer valid up to 0.984" (25 mm) DMIN

**Inserts (Grades: AH725):**

XCMT-PS

XOMU-PS

**Toolholder:**

TBM

**TBM**

Holder for Drilling and Turning

DMIN = 0.315" - 0.984"



**XOMU-PS**

Double-sided insert with 2 corners

Toolholders for

DMIN = 0.394" - 0.984"




**XCMT-PS**

Single-sided insert with 2 corners

Toolholders for

DMIN = 0.315"



## SUPERB STABILITY AND PRODUCTIVITY IN DEEP FACE GROOVING OPERATIONS

Newly designed insert profile ensures unobstructed chip flow and consistent chip evacuation.

**BUY 20 inserts**

AND

**GET 1 holder or blade or adapter**

**FREE**  
*of charge!*

Promo Code: TG277

**BUY 20 inserts**

AND

**GET 1 CHP holder or CHP blade at**

**50%**  
*additional discount!*

Promo Code: TG277

**Inserts (Grades: AH7025, AH6235):**

**QGM, QGS and QTX**

**CW = 0.078", 0.118", 0.157", 0.197", 0.236" and 0.315"**

Max. grooving depths for face grooving

**CDX = 1.65"**

**Adapters:**

**QSDR/L-CHP...**

Face grooving adapter

(for CW = 0.118",

0.157", 0.197"

**CDX = 1.02" - 1.65")**

**Holders for adapters:**


**QHSR/L-CHP, QHTR/L-CHP,**

**QSER-CHP, QSER/L**

**Blades:**

**QSG, QSP, QSP-CHP**

(for CW = 0.079", 0.118", 0.157", 0.197")



## SMALL-SIZE DOUBLE-ENDED INSERTS FOR INTERNAL GROOVING

Optimized screw placement boosts clamping strength and chatter resistance, while larger pockets improve chip evacuation and internal coolant enhances performance.

**BUY 10** inserts

AND

**GET 1** corresponding toolholder at

**50%**  
additional  
discount!  
Promo Code: TG278



CTIR\*\*S

Inserts (Grades: AH7025, AH725):

DGS\*S

DTR\*S

STV\*S

Toolholder:

CTIR\*\*S



DGS\*S

Lower cutting force and superior sharpness

**CW** = 0.079" - 0.118"  
(2 - 3 mm)



DTR\*S

Full radius type  
**CW** = 0.079" - 0.118"  
(2 - 3 mm)



STV\*S

For profiling applications



## ULTIMATE HIGH FEED MILLING CUTTER SERIES FOR MAXIMUM PRODUCTIVITY

Small diameter high-feed milling cutter for expanded application coverage, featuring cutter bodies as small as  $\varnothing 0.375"$

**BUY** 10 inserts per  
AND pocket up to max 50 inserts  
**GET** 1 cutter

**FREE**  
of charge!  
Promo Code: TG280

Insert (Grades: AH3225, AH130, AH8015):

LNMU02-MM

Cutter bodies:

Shank type:

**EXN02R...** (Short type)

**EXN02R\*\*L** (Long type)

DCX =  $\varnothing 0.375"$  –  $\varnothing 1.000"$

$\varnothing 8$  –  $\varnothing 25$  mm

Modular type:

**HXN02-MM** (TungFlex connection)

**HXN02-MS** (TungMeister connection)

DCX =  $\varnothing 8$  –  $\varnothing 16$  mm



**LNMU02-MM**

Double-sided,  
4-edged insert  
APMX = 0.020"



# VERSATILE SHOULDER MILLING CUTTER WITH UNIQUE V-SHAPED INSERT BOTTOM FOR MAXIMUM PRODUCTIVITY

Unmatched stability across all materials, with an innovative clamping system

**BUY** 10 inserts per  
AND pocket up to max 50 inserts  
**GET** 1 cutter

**FREE**  
of charge!  
Promo Code: TG282

Inserts (Grades: AH3225, AH3135, AH120, AH130, KS05F and DS2005):

AVGT06-MJ/-AJ

## Cutter bodies:

Shank type:

**EPAV06**

DC =  $\varnothing 0.313$ " –  $\varnothing 1.000$ "

$\varnothing 8$  –  $\varnothing 32$  mm

Bore type:

**TPAV06**

DC =  $\varnothing 40$  mm

## Modular type:

**HPAV06-M** (TungFlex connection)

DC =  $\varnothing 10$  –  $\varnothing 16$  mm

**HPAV06-S** (TungMeister connection)


DC =  $\varnothing 10$  –  $\varnothing 16$  mm



V-Shape design prevents insert movement during machining with secure insert clamping



**AVGT06**  
APMX:  
0.236"



## HIGH PRODUCTIVE AND COST-EFFECTIVE SHOULDER MILLING CUTTER

Economical shoulder mill with an innovative 6-edged geometry offers maximum performance in various applications

**BUY** 10 inserts per  
**AND** pocket up to max 50 inserts  
**GET** 1 cutter

**FREE**  
*of charge!*  
Promo Code: TG283

Insert (Grades: AH3225, AH3135, AH120):

TN MU07-MJ

Cutter bodies:

Bore type:

**TPTN07**

DCX =  $\varnothing 2.000''$

$\varnothing 40 - \varnothing 50$  mm

Shank type:

**EPTN07**

DCX =  $\varnothing 0.750'' - \varnothing 1.500''$

$\varnothing 18 - \varnothing 32$  mm



**TN MU07-MJ**  
with built-in wipers  
APMX = 0.256"



## MORE THAN 13,000 POSSIBLE COMBINATIONS

Easy and accurate head-holder coupling provides reduced tool change time and high accuracy of cutting point repeatability

**BUY 6 heads**

AND

**GET 1 steel shank**

**FREE**  
*of charge!*

Promo Code: TG284

Offer Valid Up to 0.750" (20 mm) Shank Diameter

**Heads (Grade: AH715, AH725, AH750, GH730, KS15F):**

Square heads: **VEH, VEE, VED**

Multi-function: **VVFH**

Face mills: **VFM**

High-feed: **VFX**

Ball: **VBB, VBD, VBE**

Radius: **VRB, VRC, VRD**

Barrel: **VBO**

Bull nose: **VBN**

Lens: **VBL**

Chamfering: **VCA, VCW, VCR**

Chamfering and spot drill: **VCP, VDS**

Center drill: **VDP**

Counterboring: **VGC**

Slotting: **VST, VTB**

Threading: **VMT, VTR**

**Shanks:**

Straight neck type : **Steel**

Straight T-slot type : **Steel**

Taper neck type : **Steel**

High rigidity type : **Steel**

ER collet type : **Steel**



## EXCHANGEABLE HEAD DRILL SYSTEM FOR SUPERIOR DRILLING PERFORMANCE AND LONG TOOL LIFE

Quick drill tip change for reduced machine downtime.

Tool inventory and management costs are significantly reduced as there is no need for regrinding.

**BUY** 4 drill heads

AND

**GET** 1 drill body

up to 3xD and Modular Type

**FREE**  
*of charge!*

### Drill heads

(Grades: AH725, AH9130, KS15F):

DMP, DMC, DMF, DMH, DMN, DMM

### Drill bodies:

TID-F (1.5xD, 3xD, 5xD, 8xD)

TID-R (2xD, 3.5xD, 6xD, 8xD)

TIDC (3xD, 5xD)

### Modular drill bodies:

TID-M (2xD, 3xD)

TID-S (2xD)

TID-L-A-M

### Inch chamfering:

TID-L-A

**BUY** 6 drill heads

AND

**GET** 1 drill body

up to 5xD

**FREE**  
*of charge!*

**BUY** 8 drill heads

AND

**GET** 1 drill body

up to 8xD and Inch Chamfering

**FREE**  
*of charge!*

### Promo Codes:

1.5-2xD: TG285

3xD: TG286

Modular type: TUS62

3.5-5xD: TG287

Inch chamfering: TUS63

6-8xD: TG288

Offer Valid Up to 0.984" (25.9 mm) Head Diameter and Up to 8xD



## DRILL HEADS LINEUP



### DMP

Drill dia.:  
ø0.236" - ø0.984"  
(ø6 - ø25.9 mm)

General purpose drilling head ideal for various drilling applications



### DMC

Drill dia.:  
ø0.236" - ø0.984"  
(ø6 - ø25.9 mm)

High-precision head with double margin and self-centering edge



### DMF

Drill dia.:  
ø0.236" - ø0.984"  
(ø6 - ø25.9 mm)

180° flat edges for counterboring and flat bottoms



### DMH

Drill dia.:  
ø0.236" - ø0.984"  
(ø6 - ø25.9 mm)

General purpose head with enhanced cutting edge



### DMN

Drill dia.:  
ø0.268" - ø0.768"  
(ø6.8 - ø19.5 mm\*)  
Drill head with sharp edges for non-ferrous materials



### DMM

Drill dia.:  
ø0.393" - ø0.783"  
(ø10 - ø19.9 mm\*)  
General purpose drilling head for stainless steel materials

## DRILL BODIES LINEUP

### TIDC

Drill dia.:  
ø0.295" - ø0.783"  
(ø7.5 - ø19.9 mm)  
3xD and 5xD



### TID-F

Drill dia.:  
ø0.236" - ø0.984"  
(ø6 - ø25.9 mm)  
1.5xD, 3xD, 5xD, 8xD



### TID-R / TID-R-E

Drill dia.:  
ø0.236" - ø0.783"  
(ø6 - ø19.9 mm)  
2xD, 3.5xD, 6xD, 8xD



### TID-L-A

3/8" - 7/8" UNC/UNF Tap Sizes  
Inch chamfer for tap sizes



\*Actual available sizes are limited within the stated range.

## MODULAR DRILL BODIES LINEUP

video



### TID-M

Drill dia.:  
ø0.236" - ø0.744"  
(ø6 - ø18.9 mm)  
2xD and 3xD  
TungFlex connection

video



### TID-S

Drill dia.:  
ø0.256" - ø0.429"  
(ø6.5 - ø10.9 mm)  
2xD  
TungMeister connection



### TID-L-A-M

Drill dia.:  
ø0.256" - ø0.665"  
(ø6.5 - ø16.9 mm)  
TungFlex connection  
drilling+chamfering /  
pre-thread drilling

# DCGT 21.5... inserts

Valid from July 1st to December 31st, 2026

**NTK**

TURNING & MINIATURE

## DESIGNED FOR PRECISION MACHINING OF SMALL DIAMETER PARTS

High-precision DCGT21.5... inserts for miniature machining applications, offering stable chip control, sharp cutting performance, and excellent surface finish quality.

**BUY 30** inserts

AND

**GET 10** corresponding inserts

**FREE**  
*of charge!*

Promo Code: NW014

\*Offer must be ordered through our Customer Service Team, not available on Webshop.

Insert: DCGT21.5...

Grades:

TM4 / DM4 / DT4 / ST4 / VM1 / ZM3 and QM3

Chipbreakers:

YL, CL, AM3 and AMX




CL



YL



AM3



AMX



Member IMC Group  
**NTK**  
CUTTING TOOLS

# MEET GABBY TUNGALOY'S AI ASSISTANT FOR TOOL SELECTION

Describe your machining needs naturally and let Gabby help you explore suitable tooling solutions for Milling, Holmaking, Turning, and Grooving applications.

From catalog checks to conversational follow-up changes, Gabby simplifies access to machining knowledge through one unified AI interface.


Available through Tungaloy's websites and the Tungaloy mobile application.



[tungaloy.com/gabby/](https://tungaloy.com/gabby/)

## Tungaloy-NTK America Promotion Details:

- Valid July 1 - December 31, 2026
- Orders must be drop shipped to the end user
- Promo code must be included at time of order
- Prices valid in U.S. only
- No returns



Tungaloy-NTK America Inc.  
3726 N Ventura Drive  
Arlington Heights, IL 60004, U.S.A.  
[tungaloy.com/us](http://tungaloy.com/us)

# L e a d i n g   i n   I n n o v a t i o n

Distributed by:



 FIND US ON THE CLOUD!  
[machiningcloud.com](http://machiningcloud.com)

Oct 2026 (TA-NTK)