


PROMOTIONS

Valid from July 1st to October 31st, 2026

2026




AFC Tooling
AFCTooling.com

CERMET GRADES FOR STEEL FINISHING TURNING


Cermet grades with remarkable stable tool life due to incredible fracture resistance

BUY 30 inserts
AND
GET 10 corresponding inserts

FREE
of charge!
Promo Code: TG274

*Offer must be ordered through our Customer Service Team, not available on Webshop.

Inserts:
ISO type



ECONOMICAL DOUBLE-SIDED POSITIVE INSERT

Innovative geometry and seat interface ensures stability and high performance

BUY 20 inserts

AND

GET 1 corresponding holder at



50%
additional
discount!
Promo Code: TG275

Inserts (Grades: SH725, AH725, AH8015, T9200, GT9530, NS9530, KS05F):

WXGU
DXGU
DXMU
VXGU
CXMU

Toolholders:

JPD/V/W
JS**
JSD**
JSV**
JSW**
A**-SCL**
A**-SDX**
A**-SDZ**
A**-SWL**



ISO-ECOTURN SMALL SIZE INSERTS, FOR AN ECONOMICAL ADVANTAGE

ISO-EcoTurn inserts match standard insert thickness and chipbreaker geometry, delivering equivalent cutting performance with reliable chip control up to 0.118" depth of cut.

BUY 30 inserts

AND

GET 10 corresponding inserts


FREE
of charge!

Promo Code: TG276

*Offer must be ordered through our Customer Service Team, not available on Webshop.

Inserts (Grades: AH120, AH6200, AH8015, AT9530, GT9530, NS9530, T5115, T515, T6200, T9200):

ISO type



MULTIFUNCTIONAL TOOL FOR IMPROVED PRODUCTIVITY

A single TungBoreMini tool can handle multiple operations such as ID turning after drilling, facing and OD turning without exchanging the tools.

BUY 10 inserts

AND

GET 1 corresponding toolholder at

50%
additional
discount!
Promo Code: TG291

*Offer valid up to 0.984" (25 mm) DMIN


Inserts (Grades: AH725):

XCMT-PS
XOMU-PS

Toolholder:
TBM

TBM

Holder for Drilling and Turning
DMIN = 0.315" - 0.984"




XOMU-PS

Double-sided insert with 2 corners
Toolholders for
DMIN = 0.394" - 0.984"



XCMT-PS

Single-sided insert with 2 corners
Toolholders for
DMIN = 0.315"



SUPERB STABILITY AND PRODUCTIVITY IN DEEP FACE GROOVING OPERATIONS

Newly designed insert profile ensures unobstructed chip flow and consistent chip evacuation.

BUY 20 inserts
AND
GET 1 holder or blade or adapter

FREE of charge!
Promo Code: TG277

BUY 20 inserts
AND
GET 1 CHP holder or CHP blade at

50% additional discount!
Promo Code: TG277



Inserts (Grades: AH7025, AH6235):

QGM, QGS and QTX

CW = 0.078", 0.118", 0.157", 0.197", 0.236" and 0.315"

Max. grooving depths for face grooving

CDX = 1.65"

Adapters:

QSDR/L-CHP...

Face grooving adapter

(for CW = 0.118",

0.157", 0.197"

CDX = 1.02" - 1.65")

Holders for adapters:


QHSR/L-CHP, QHTR/L-CHP,

QSER-CHP, QSER/L

Blades:

QSG, QSP, QSP-CHP

(for CW = 0.079", 0.118", 0.157", 0.197")



SMALL-SIZE DOUBLE-ENDED INSERTS FOR INTERNAL GROOVING

Optimized screw placement boosts clamping strength and chatter resistance, while larger pockets improve chip evacuation and internal coolant enhances performance.

BUY 10 inserts

AND

GET 1 corresponding toolholder at

50%
additional
discount!
Promo Code: TG278

Inserts (Grades: AH7025, AH725):

DGS*S
DTR*S
STV*S

Toolholder:

CTIR**S



DGS*S

Lower cutting force and superior sharpness
CW = 0.079" - 0.118"
(2 - 3 mm)



DTR*S

Full radius type
CW = 0.079" - 0.118"
(2 - 3 mm)



STV*S

For profiling applications



ULTIMATE HIGH FEED MILLING CUTTER SERIES FOR MAXIMUM PRODUCTIVITY

Small diameter high-feed milling cutter for expanded application coverage, featuring cutter bodies as small as $\varnothing 0.375"$

BUY 10 inserts per
AND pocket up to max 50 inserts
GET 1 cutter

FREE
of charge!
Promo Code: TG280

Insert (Grades: AH3225, AH130, AH8015):

LNMU02-MM

Cutter bodies:

Shank type:

EXN02R... (Short type)

EXN02RL** (Long type)

DCX = $\varnothing 0.375"$ – $\varnothing 1.000"$

$\varnothing 8$ – $\varnothing 25$ mm

Modular type:

HXN02-MM (TungFlex connection)


HXN02-MS (TungMeister connection)

DCX = $\varnothing 8$ – $\varnothing 16$ mm



LNMU02-MM

Double-sided,
4-edged insert
APMX = 0.020"



VERSATILE SHOULDER MILLING CUTTER WITH UNIQUE V-SHAPED INSERT BOTTOM FOR MAXIMUM PRODUCTIVITY

Unmatched stability across all materials, with an innovative clamping system

BUY 10 inserts per
AND pocket up to max 50 inserts
GET 1 cutter

FREE
of charge!
Promo Code: TG282

Inserts (Grades: AH3225, AH3135, AH120, AH130, KS05F and DS2005):

AVGT06-MJ/-AJ

Cutter bodies:

Shank type:

EPAV06

DC = $\varnothing 0.313$ " - $\varnothing 1.000$ "

$\varnothing 8$ - $\varnothing 32$ mm

Bore type:

TPAV06

DC = $\varnothing 40$ mm

Modular type:

HPAV06-M (TungFlex connection)

DC = $\varnothing 10$ - $\varnothing 16$ mm

HPAV06-S (TungMeister connection)

DC = $\varnothing 10$ - $\varnothing 16$ mm



V-Shape design prevents insert movement during machining with secure insert clamping



AVGT06
APMX:
0.236"



HIGH PRODUCTIVE AND COST-EFFECTIVE SHOULDER MILLING CUTTER

Economical shoulder mill with an innovative 6-edged geometry offers maximum performance in various applications

BUY 10 inserts per
AND pocket up to max 50 inserts
GET 1 cutter

FREE
of charge!
Promo Code: TG283

Insert (Grades: AH3225, AH3135, AH120):

TNMU07-MJ

Cutter bodies:

Bore type:

TPTN07

DCX = $\varnothing 2.000''$

$\varnothing 40 - \varnothing 50$ mm

Shank type:

EPTN07

DCX = $\varnothing 0.750'' - \varnothing 1.500''$

$\varnothing 18 - \varnothing 32$ mm



TNMU07-MJ
with built-in wipers
APMX = 0.256"



MORE THAN 13,000 POSSIBLE COMBINATIONS

Easy and accurate head-holder coupling provides reduced tool change time and high accuracy of cutting point repeatability

BUY 6 heads

AND

GET 1 steel shank

FREE
of charge!

Promo Code: TG284

Offer Valid Up to 0.750" (20 mm) Shank Diameter

Heads (Grade: AH715, AH725, AH750, GH730, KS15F):

Square heads: **VEH, VEE, VED**

Multi-function: **VVFH**

Face mills: **VFM**

High-feed: **VFX**

Ball: **VBB, VBD, VBE**

Radius: **VRB, VRC, VRD**

Barrel: **VBO**

Bull nose: **VBN**

Lens: **VBL**

Chamfering: **VCA, VCW, VCR**

Chamfering and spot drill: **VCP, VDS**

Center drill: **VDP**

Counterboring: **VGC**

Slotting: **VST, VTB**

Threading: **VMT, VTR**

Shanks:

Straight neck type : **Steel**

Straight T-slot type : **Steel**

Taper neck type : **Steel**

High rigidity type : **Steel**

ER collet type : **Steel**



EXCHANGEABLE HEAD DRILL SYSTEM FOR SUPERIOR DRILLING PERFORMANCE AND LONG TOOL LIFE

Quick drill tip change for reduced machine downtime.

Tool inventory and management costs are significantly reduced as there is no need for regrinding.

<p>BUY 4 drill heads</p> <p>AND</p> <p>GET 1 drill body</p> <p>up to 3xD and Modular Type</p>	<p>FREE of charge!</p>	<p>Drill heads (Grades: AH725, AH9130, KS15F): DMP, DMC, DMF, DMH, DMN, DMM</p> <p>Drill bodies: TID-F (1.5xD, 3xD, 5xD, 8xD) TID-R (2xD, 3.5xD, 6xD, 8xD) TIDC (3xD, 5xD)</p> <p>Modular drill bodies: TID-M (2xD, 3xD) TID-S (2xD) TID-L-A-M</p> <p>Inch chamfering: TID-L-A</p>
<p>BUY 6 drill heads</p> <p>AND</p> <p>GET 1 drill body</p> <p>up to 5xD</p>	<p>FREE of charge!</p>	<p>Promo Codes: 1.5-2xD: TG285 3xD: TG286 Modular type: TUS62 3.5-5xD: TG287 Inch chamfering: TUS63 6-8xD: TG288</p>
<p>BUY 8 drill heads</p> <p>AND</p> <p>GET 1 drill body</p> <p>up to 8xD and Inch Chamfering</p>	<p>FREE of charge!</p>	

Offer Valid Up to 0.984" (25 mm) Head Diameter and Up to 8xD



DRILL HEADS LINEUP



DMP

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)

General purpose drilling head ideal for various drilling applications



DMC

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)

High-precision head with double margin and self-centering edge



DMF

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)

180° flat edges for counterboring and flat bottoms



DMH

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)

General purpose head with enhanced cutting edge



DMN

Drill dia.:
ø0.268" - ø0.768"
(ø6.8 - ø19.5 mm*)

Drill head with sharp edges for non-ferrous materials



DMM

Drill dia.:
ø0.393" - ø0.783"
(ø10 - ø19.9 mm*)

General purpose drilling head for stainless steel materials

DRILL BODIES LINEUP



TIDC

Drill dia.:
ø0.295" - ø0.783"
(ø7.5 - ø19.9 mm)
3xD and 5xD

TID-F

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)
1.5xD, 3xD, 5xD, 8xD



TID-R / TID-R-E

Drill dia.:
ø0.236" - ø0.783"
(ø6 - ø19.9 mm)
2xD, 3.5xD, 6xD, 8xD



TID-L-A

3/8" - 7/8" UNC/UNF Tap Sizes
Inch chamfer for tap sizes

*Actual available sizes are limited within the stated range.

MODULAR DRILL BODIES LINEUP

video



TID-M

Drill dia.:
ø0.236" - ø0.744"
(ø6 - ø18.9 mm)

2xD and 3xD
TungFlex connection

video



TID-S

Drill dia.:
ø0.256" - ø0.429"
(ø6.5 - ø10.9 mm)

2xD
TungMeister connection



TID-L-A-M

Drill dia.:
ø0.256" - ø0.665"
(ø6.5 - ø16.9 mm)

TungFlex connection
drilling+chamfering /
pre-thread drilling

DCGT 21.5... inserts

Valid from July 1st to October 31st, 2026

NTK

TURNING & MINIATURE

DESIGNED FOR PRECISION MACHINING OF SMALL DIAMETER PARTS

High-precision DCGT21.5... inserts for miniature machining applications, offering stable chip control, sharp cutting performance, and excellent surface finish quality.

BUY 30 inserts

AND

GET 10 corresponding inserts

FREE
of charge!

Promo Code: **NW014**

*Offer must be ordered through our Customer Service Team, not available on Webshop.

Insert: DCGT21.5...

Grades:

TM4 / DM4 / DT4 / ST4 / VM1 / ZM3 and QM3

Chipbreakers:

YL, CL, AM3 and AMX



CL



YL



AM3



AMX



MEET GABBY TUNGALOY'S AI ASSISTANT FOR TOOL SELECTION

Describe your machining needs naturally and let Gabby help you explore suitable tooling solutions for Milling, Holmaking, Turning, and Grooving applications.

From catalog checks to conversational follow-up changes, Gabby simplifies access to machining knowledge through one unified AI interface.


Available through Tungaloy's websites and the Tungaloy mobile application.



tungaloy.com/gabby/

Tungaloy-NTK America Promotion Details:

- Valid July 1 - October 31, 2026
- Orders must be drop shipped to the end user
- Promo code must be included at time of order
- Prices valid in U.S. only
- No returns



Tungaloy-NTK America Inc.
3726 N Ventura Drive
Arlington Heights, IL 60004, U.S.A.
tungaloy.com/us

L e a d i n g i n I n n o v a t i o n

Distributed by:



July 2026 (TA-NTK)